



Submission to the
Mental Health and Suicide
Prevention Programs Branch,
Department of Health and Ageing



10th February 2011

About the Authors

Carol Ronken is Bravehearts' Research and Policy Development Manager. After seven years at Griffith University as a casual staff member and Associate Lecturer in the School of Criminology and Criminal Justice, Carol joined Bravehearts in early 2003. With a Bachelor of Arts (psychology) and Masters in Applied Sociology (social research), Carol is dedicated to making a difference in the lives of those touched by child sexual assault and is focused on advocating for greater awareness and effective, proactive system responses.

Hetty Johnston is Founder and Executive Director of Bravehearts Inc., whose purpose is to provide therapy, support and advocacy services to survivors of child sexual assault. Hetty is the author of the national awareness campaign, "White Balloon Day", the "Sexual Assault Disclosure Scheme", the "Ditto's Keep Safe Adventure!" child protection CD-Rom and her autobiography, "In the best interests of the child" (2004). In 2005, Hetty was announced one of 4 Queensland finalists for the 2006 Australian of the Year Awards.

This submission has been prepared by:

Bravehearts Inc

PO Box 575

Arundel BC, Qld 4214

Phone: 07 5552 3000

E-mail: research@bravehearts.org.au

Web: www.bravehearts.org.au

Table of Contents

ABOUT BRAVEHEARTS INC. 1

BACKGROUND TO SUBMISSION 2

BRAVEHEARTS' RECOMMENDATIONS 4

Specialist Training for Therapists..... 4

Taking Child Sexual Assault 'Out of the Pot' 5

Prevention Programs 6

REFERENCES 8

About Bravehearts Inc.



Founded in 1997 by Hetty Johnston, Bravehearts Inc. has evolved into an organisation whose purpose is to provide therapeutic, support and advocacy services to survivors of child sexual assault. We are also actively involved in education, prevention, early intervention and research programs relating to child sexual assault.

Bravehearts operates at a National level, from our Head Office on the Gold Coast, advocating and lobbying across the country, with a physical presence in three States: Queensland (Gold Coast, Brisbane and Cairns), New South Wales (Sydney and Shoalhaven) and Victoria (Shepparton).

Bravehearts makes a difference in child protection by:

- Assisting children and their non-offending family members to recover from the trauma of child sexual assault through therapy, advocacy and support;
- Raising awareness via initiatives such as the 'White Balloon Campaign' - a public awareness and child protection initiative;
- Protecting survivors and providing them with avenues of redress through projects like the 'Sexual Assault Disclosure Scheme' (SADS) – a means for anonymous yet official disclosure of assault;
- Providing and developing effective education and prevention programs (Ditto's Keep Safe Adventure) to empower children and young people and increase their resiliency to child sexual assault;
- Provision of professional training and workshops; including specialised training for therapists and professional development for organisations that work with, or who's core business involves children;
- Advocating for survivor's rights through participation in legislative review and reform (successful campaigns include: the introduction in Queensland, New South Wales, Western Australia, Victoria and South Australia of Continuing Sentences for dangerous paedophiles; the closure of Queensland's Department of Family Services; the introduction of Section 189, the right for children and their families to speak publicly; the introduction of the Amber Alert system in Australia; the instigation of various formal Inquiries; and successful amendments to legislation);
- Proactive involvement in cyber-safety initiatives, including a presence on the Federal Government's Cyber-Safety Consultative Working Group;
- Raising community awareness through participation in public debate and in the accumulation, production and dissemination of relevant research material; and
- Supporting the work of other agencies (government and non-government) and individuals in their work around child sexual assault.

Background to Submission



Bravehearts strongly believes that in order to properly and effectively address mental illness in our community, it is crucial that we provide early intervention strategies that address the causal factors and manage the potential effects of adverse childhood experiences. As an agency that is focussed on advocating for appropriate and effective responses to child sexual assault, our comments are made within this context.

One in four girls and one in six boys will be sexually assaulted in some form by the age of 18. These figures have been consistently reported over the past decade. For background to our submission, we provide the following facts surrounding child sexual assault:

- It is estimated that 1 in 4 girls and between 1 in 7 and 1 in 12 boys are victims of sexual assault. (James, 2000)
- Girls and boys of all ages are sexually assaulted and victims are sometimes toddlers, young children and even babies. (NSW Child Protection Council, 2000)
- Research shows a staggering 45% of women aged 18-41 were sexually assaulted as children by family members (30%), friends or family friends (50%) or strangers (14%). 75% of the abuse involved some contact, most of which was shockingly severe. (Watson, B., Griffith University, Herald Sun, 9th October, 2007)
- Based on a review of research conducted on child abuse between 2000 and June 2008, researchers estimate that... between 5 and 10% of girls and up to 5% of boys are exposed to penetrative sexual assault, and up to three times this number are exposed to any type of sexual assault. (Gilbert, Spatz-Widom, Browne, Fergusson, Webb & Janson, 2009)

Child sexual assault has long been recognised to have a key relationship to later mental illness. The mental health system is filled with survivors of prolonged, repeated childhood trauma:

- 50 to 70% of all women and a substantial number of men treated in psychiatric settings have histories of sexual assault or physical abuse, or both. (Bryer et al., 1987; Craine et al., 1988)
- As high as 81% of men and women in psychiatric hospitals with a variety of major mental illness diagnoses, have experienced physical abuse and/or sexual assault. 67% of these men and women were abused as children. (Jacobson & Richardson, 1987)
- The majority of adults diagnosed with Borderline Personality Disorder (81%) or Dissociative Identity Disorder (90%) were sexually assaulted and/or physically abused as children. (Herman et al, 1989; Ross et al, 1990)
- Women molested as children are four times more at risk for Major Depression as those with no such history. They are significantly more likely to develop bulimia and chronic PTSD. (Stein et al, 1988; Root & Fallon, 1988; Craine, 1990)
- Childhood abuse can result in adult experience of shame, flashbacks, nightmares, severe anxiety, depression, alcohol and drug use, feelings of humiliation and

unworthiness, ugliness and profound terror. (Harris & Landis, 1997; Brown & Finkelhor, 1986)

- Adults abused during childhood are (Stein et al, 1988):
 - more than twice as likely to have at least one lifetime psychiatric diagnosis
 - almost three times as likely to have an affective disorder
 - almost three times as likely to have an anxiety disorder
 - almost 2 ½ times as likely to have phobias
 - over ten times as likely to have a panic disorder
 - almost four times as likely to have an antisocial personality disorder
- 97% of mentally ill homeless women have experienced severe physical abuse and/or sexual assault. 87% experienced this abuse both as children and as adults. (Goodman, Johnson, Dutton & Harris 1997)
- Women with a history of child sexual assault were more likely to use mental health services, pharmacy services, primary care services and speciality care. (Bonomi, 2008)
- Among male survivors of child sexual assault, more than 70% seek psychological treatment for issues such as substance abuse, suicidal thoughts and attempted suicide. Males who have been sexually assaulted as children are more likely to violently victimize others. (Walrath, Ybarra, Holden, Liao, Santiago, & Leaf, 2003)

There is also a highly significant relationship between childhood sexual assault and various forms of self-harm later in life:

- For adults and adolescents with childhood abuse histories, the risk of suicide is increased 4 to 12-fold. (Felitti et.al., 1998)
- Most self-injurers have childhood histories of physical abuse or sexual assault. (Briere and Runtz, 1988)
- Nearly 90% of alcoholic women were sexually assaulted as children or suffered severe violence at the hands of a parent. (Miller and Downs, 1993)
- Teenagers with alcohol problems are 21 times more likely to have been sexually assaulted than those without such problems. (Clark, Lesnick & Hegedus, 1997)
- Adults abused during childhood are more than twice as likely than those not abused during childhood to have serious substance abuse problems. (Stein et al, 1988)
- Young people who had experienced child sexual assault had a suicide rate that was 10.7 to 13.0 times the national Australian Rates. A recent study of child sexual assault victims found 32% had attempted suicide and 43% had thought about suicide. (Plunkett, Shrimpton & Parkinson, 2001)
- Young girls who are sexually assaulted are 3 times more likely to develop psychiatric disorders or alcohol and drug abuse in adulthood, than girls who are not sexually assaulted. (Kendler, Bulik, Silberg, Hettema, Myers, & Prescott, 2000)



Specialist Training for Therapists

Recommendation 1: Bravehearts calls for funding for mental health reform to ensure funds for the professional development training in the area of child sexual assault for all mental health workers.

Child sexual assault is a hidden but significant problem in every community in Australia. Experts estimate that one in five children will be sexually assaulted before their 18th birthday. Less than one in ten will tell. Research clearly shows that individuals who are sexually assaulted as children are far more likely to experience psychological problems, often lasting into adulthood, including Post Traumatic Stress Disorder, depression, substance abuse and relationship problems.

Ensuring that there is specialised and effective therapeutic support for survivors of child sexual assault is essential, yet there is a recognised gap in the training of therapists (psychologists, counsellors, social workers) in the area of child sexual assault. This has been recognised in Outcome 6 of the National Framework for Protecting Australia's Children 2009-2020. Effective intervention and support can only occur if professionals working with these children are properly equip to deal the specialised nature of this work.

In 2009, the Federal Government provided funding for Bravehearts to deliver our Practitioner Workshop, based on 12 years of specialist experience, across the country. The workshop is aimed at training participants to work effectively with victims, and increases both practitioner knowledge and confidence in responding to those affected by child sexual assault, with core focus on:

- Understanding the nature of child sexual assault;
- Strengthening therapeutic approaches to children affected by sexual assault;
- Effective therapeutic interventions with children who have experienced sexual assault;
- Understanding the principles behind psycho-educational tools to teach personal safety messages to children;
- Effective responses to disclosures of sexual assault within the therapeutic environment;
- Supporting parents to respond appropriately and effectively to disclosures, as well as behaviours and emotions often associated with child sexual assault;
- Understanding the toll on the therapist when working in the area of child sexual assault and identifying key self-care and organisational-care strategies to minimise this effect.
- Tailoring therapeutic responses to participants' workplace settings.

The workshops run in 2009 were fully booked, with a wait list created. The uptake of these training opportunities exceeded any expectation and it is clear that specialised training in this area is desperately needed. Bravehearts believes that it is critical that monies set aside for the National Mental Reform

Taking Child Sexual Assault ‘Out of the Pot’

Recommendation 2: Bravehearts calls for the issue of child sexual assault to be recognised as distinct from other forms of child abuse and neglect as part of the National Mental Health Reform.

Bravehearts long held belief and policy position that the issue of child sexual assault and those of child abuse and neglect are discernibly different and require discernibly different responses has finally been heard and upheld by the Council of Australian Governments (COAG) on 30th April, 2009 in the National Framework for Protecting Australia’s Children 2009-2020. .

In working with the Federal Governments Working Party in the development of a National Framework for the Protection of Australia’s Children, and in what we believe is an International first, Bravehearts successfully lobbied to have child sexual assault recognised as distinct from child abuse and neglect and requiring of a distinct response and specific resourcing. The signing of the COAG Agreement means this distinction will now be echoed across child protection systems in every State and Territory around the Nation. The National Framework will form the basis of child protection agendas over the next decade. Outcome Six of this document outlines the way forward for finally dealing with child sexual assault. Governments across the country are now finally committed to recognising and responding to child sexual assault specifically.

Traditionally, child sexual assault has been ‘lumped in the same pot’ as child abuse and neglect. However, while all forms of abuse and assault are harmful to children it is important to take child sexual assault ‘out of the ‘pot’ as the dynamics are fundamentally different. Recognising these differences is necessary to effectively address, respond to and prevent child sexual assault.

Some of the important differences include:

- Acts of **child abuse and neglect** are generally unplanned, re-active and are generally aligned with socio-economic and/or family dysfunction issues and are comparatively predominant in areas of social disadvantage.
Sexual assaults against children are almost always pre-meditated, involving predatory acts of grooming, manipulation, self gratification and exploitation, and occur widely across the various socio-economic areas.
- **Child abuse and neglect** more commonly involve the infliction of pain, violence and aggressive force.

Child sexual assault more commonly involves manipulation, intimidation and sexual contact.

- **Child abuse and neglect** are nearly always perpetrated by a parent or primary caregiver (in an estimated 90% of cases).

Child sexual assault is generally perpetrated by a male (in excess of 90% of cases) and more likely to be perpetrated by someone known to the child or their family (research varies but commonly finds between 85% and 95% of the time). Of those offenders known to the child most commonly the offender is not living with the child (approx 70%).

- **Child abuse and neglect** offences are almost always intra-familial.
- **Child sex assault** offences are commonly extra-familial as well as intra-familial.
- **Child sexual assault** always involves the three S's: **Shame; Silence; Secrecy**

Prevention Programs

Recommendation 3: Bravehearts calls for sufficient mental health funding to be quarantined for prevention programs.

Services providing education and prevention around child sexual assault are a fundamental key to achieving long-term reductions in the devastating impact of this crime on the mental health statistics.

The resourcing of education and prevention is crucial and budgetary allocations need to be made to fund proven, effective programs that demonstrate best practice.

Public awareness of the problem of child sexual assault has grown to a point whereby concerns have emphasised the need for widespread preventative programs to be implemented. In 1997 the Woods Royal Commission recommended a focus on the "broad community education programs including information on children's rights, empowering children to speak out, to say NO to adults, to understand their bodies and their rights around the touching of their bodies". In line with this, a strong feature of the published research on personal safety programs has been the evidence that suggests that preventative strategies are far more cost effective than trying to fix the problem after the fact.

Accordingly, school-based personal safety programs have emerged increasingly over the last two decades across the US, Canada, NZ, UK and Australia (Briggs & Hawkins, 1994; Browne & Lynch, 1994; Poole & Tomison, 2000). School-based personal safety programs play a vital role in preventing child sexual assault, equipping children with the knowledge and skills they need to identify unsafe or risky situations, and giving them an understanding of their rights to protect themselves and their own body.

The introduction of personal safety education within schools appears to be a logical progression. Not only do schools have the ability to reach large numbers of children at

the one time, but their primary purpose is to be a place of learning. In schools children are taught how to stay safe in traffic, how to stay safe from fire, water and electricity; it was logical that schools should progress to also teach children how to stay safe with people.

Bravehearts' *Ditto's Keep Safe Adventure* (DKSA) program is an example of the incredible impact of prevention programs in this area. The external evaluation determined that the *Ditto's Keep Safe Adventure* program **has the potential to reduce child sexual assault by up to 50 per cent**. In 2008 Bravehearts received Federal Government funding to deliver the program to Indigenous children in the Cairns and Far North Queensland regions. The program was adapted slightly and a new character introduced.

As well as including existing protection principles already working in established prevention programs, the DKSA school-based program incorporates a set of learning objectives informed by research on disclosure principles and child sexual offender behaviour. The DKSA model covers: differentiating between 'yes' and 'no' feelings (reinforcing children's natural emotional regulation); recognising 'warning' signs (identifies the emotional and physiological responses to potentially threatening experiences); identifying private parts (the importance of teaching children which parts of their bodies are exclusively theirs has been supported by research, as offenders often exploit children's lack of knowledge); distinguishing between 'good' and 'bad' secrets (the inclusion of secrets is considered important as secrecy plays such a fundamental role in child sexual assault); and identifying what to do if they feel unsafe or unsure in situations (gives children the knowledge that they are allowed to tell someone if they are not feeling safe).

The promise of child sexual assault and child abuse prevention is that it effects savings in several important areas. The most obvious savings are, of course, in the lives of the children who will not suffer the devastating effects of sexual assault or child abuse. Through prevention we can save the staggering amounts of money spent annually dealing with the mental health consequences.

References



- Bonomi, A (2008). Health care utilisation and costs associated with childhood abuse. *Journal of General Internal Medicine*, 23(3): 294-299.
- Briere, J., & Runtz, M. (1988). Post sexual abuse trauma. In G. E. Wyatt, G. J. Powell (eds.), *Lasting Effects of Child Sexual Abuse*. California: Sage Publications
- Browne, A., & Finkelhor, D. (1986). Initial and long-term effects: A review of the research. In D. Finkelhor (Ed.) *A Sourcebook on Child Sexual Abuse*. California: Sage Publications.
- Bryer, J. B., Nelson, B. A., Miller, J. B. and Kroll, P. A. (1987). Childhood sexual and physical abuse as factors in adult psychiatric illness. *American Journal of Psychiatry*, 144: 1426 – 1430
- Clark, D., Lesnick, L. & Hegedus, A. (1997). Traumas and other adverse life events in adolescents with alcohol abuse and dependence. *Journal of the American Academy of Child and Adolescent Psychiatry*, 36(12): 1744-1751
- Craine P. (1990). Cited by: Gondolf E. *Psychiatric Responses to Family Violence: Identifying and Confronting Neglected Danger*. Lexington [MA]: Lexington Books.
- Craine, I., Henson, C., Colliver, J. & McLean, D. (1988). Prevalence of a history of sexual abuse among female psychiatric patients in a state mental hospital. *Hospital and Community Psychiatry*, 39: 300 - 304
- Felitti, V., Anda, R., Nordenberg, D., Williamson, D., Spitz, A., Edwards, V., Koss, M., & Marks, J. (1998). Relationship of childhood abuse and household dysfunction to many of the leading causes of death in adults: The Adverse Childhood Experiences (ACE) Study. *American Journal of Preventative Medicine*, 14: 245-258.
- Gilbert, R., Spatz-Widom, C., Browne, K., Fergusson, D., Webb, E. & Janson, S. (2009). Burden and consequences of child maltreatment in high income countries. *The Lancet*, 373(9657): 68-81
- Goodman, L., Johnson, M., Dutton, M., & Harris, M. (1997). Prevalence and impact of sexual and physical abuse. In M. Harris, & C. Landis (eds.), *Sexual Abuse in the Lives of Women Diagnosed with Serious Mental Illness* (pp.277-299). Netherlands: Harwood Academic Publishers.
- Harris, M., & Landis C. (eds.) (1997). *Sexual Abuse in the Lives of Women Diagnosed with Serious Mental Illness*. Netherlands: Harwood Academic Publishers
- Herman, J., Perry, J. & van der Kolk, B. (1989). Childhood trauma in borderline personality disorder. *American Journal of Psychiatry*, 146: 490-495
- Jacobson, A. & Richardson, B. (1987). Assault experiences of 100 psychiatric inpatients: evidence of the need for routine enquiry. *American Journal of Psychiatry*, 144: 908 - 913

- James, M. (2000). *Trends and Issues Series (no. 146). Child abuse and neglect: Redefining the issues*. Canberra: Australian Institute of Criminology.
- Kendler, K., Bulik, C., Silberg, J., Hettema, J., Myers, J., & Prescott, C. (2000). Childhood sexual abuse and adult psychiatric and substance use disorders in women. *Archives of General Psychiatry, 57*: 953-959.
- Miller, B. & Downs, W. (1993). The impact of family violence on the use of alcohol by women. *Alcohol Health and Research World, 17*(2):137-142.
- New South Wales Child Protection Council (2000). *Child Sexual Assault: How to talk to children*. Sydney: New South Wales Child Protection Council.
- Plunkett, A., Shrimpton, S. & Parkinson, P. (2001). A study of suicide risk following child sexual abuse, *Ambulatory Paediatrics, 1*(5): 262-266.
- Root, M. & Fallon P. (1988). The incidences of victimisation experiences in a bulimic sample. *Journal of Interpersonal Violence, 3*: 161-173.
- Ross, C., Miller S., Reagor, P., Bjornson, L., Fraser, G. & Anderson, G. (1990). Structured interview data on 102 cases of multiple personality disorder from four centres. *American Journal of Psychiatry, 147*: 596-601.
- Stein, J., Golding, J., Siegel, J., Burnam, M., & Sorenson, S. (1988). Long-term psychological sequelae of child sexual abuse: The Los Angeles Epidemiologic Catchment Area Study. In G. Wyatt & G. Powell (eds.) *Lasting Effects of Child Sexual Abuse* (pp.135-154). Newbury Park [CA]; Sage Publications.
- Walrath, C., Ybarra, M., Holden, W., Liao, Q., Santiago, R., & Leaf, R. (2003). Children with reported histories of sexual abuse: Utilizing multiple perspectives to understand clinical and psychological profiles. *Child Abuse & Neglect, 27*: 509-524.